

March 4, 2015

Rosemary Chivetta, Secretary Pennsylvania Public Utility Commission P.O. Box 3265 Harrisburg, PA 17105-3265

> Re: **PUC Application Docket No.**

> > Application of the County of Allegheny for approval of the alteration of an existing crossing where the S. Tenth Street Bridge (AAR 918499V) crosses above grade, the tracks of CSX Transportation, Inc. in the City of Pittsburgh, Allegheny County

Dear Secretary Chivetta:

Enclosed please find for filing with the Commission, the original and two (2) copies of an application from the County of Allegheny seeking issuance of an order for the construction of the S. Tenth Street Bridge at its initial cost and expense, provided a hearing is held at a subsequent date for the allocation of costs and expenses incident to the project.

The filing of this application is incident to a project that will rehabilitate the existing bridge over the railroad. Plan sheets showing the location, plan view and typical roadway section are attached.

Very truly yours,

Stephen G. Shanley, P.E.


Director

SGS/RLC/ms

Enclosures

cc: Richard Connors (ACDPW), David Wright (ACDPW), Matthew Steele (CDR Maguire)

BRDG-15-0164





BEFORE THE PENNSYLVANIA PUBLIC UTILITY COMMISSION

In Re: PUC Application Docket No.)	APPLICATION DOCKET
Application of the County of Allegheny for)	No.
approval of the alteration of an existing)	
crossing where the S. Tenth Street Bridge)	
(AAR 918499V) crosses above grade, the)	
tracks of CSX Transportation, Inc. in the)	
City of Pittsburgh, Allegheny County)	2015

TO THE PENNSYLVANIA PUBLIC UTILITY COMMISSION:

- 1. The name and address of the applicant is Allegheny County, County Manager, County Courthouse, Pittsburgh, PA 15219.
- 2. The name and address of the Counsel for the applicant is Michael H. Wojcik, County Solicitor, 300 Fort Pitt Commons Building, 445 Fort Pitt Boulevard, Pittsburgh, PA 15219.
- 3. The specific matter of this application is as follows:
 - a) The subject of this application is the rehabilitation of the structure that carries S. Tenth Street over the tracks of CSX Transportation, Inc.
 - b) The rehabilitation of the structurally deficient bridge is necessary for the safety and convenience of the traveling public.
 - c) The rehabilitation consists of painting, sidewalk and roadway replacement, steel and cable repairs, substructure repairs including abutments, piers and retaining walls and a dehumidification system for the cable vault.
 - d) The ADT in 2015 is 12,002 and is projected to be 13,671 in the year 2035.
- 4. Applicant believes that the following are affected by this application and should respond thereto:
 - a) Duquesne Light Company, 2825 New Beaver Avenue,
 Pittsburgh, PA 15233
 Attn: Jim Runatz 412-393-7813
 - b) Peoples Gas Company, 1201 Pitt Street, Pittsburgh, PA 15221 Attn: Shane Moriarty 412-473-3962
 - Verizon of Pennsylvania, 15 E. Montgomery Avenue, Second Floor, Pittsburgh, PA 15212
 Attn: Mr. Jon Gaunt 412-255-8941

DISHAR I 8 AMIO: I

RECEIVED

- d) Level 3 Communications LLC, 122 Capital of TX Highway S, Austin, TX 78746
 Attn: Mr. Travor Peevey 512-742-3700
- e) Comcast, 300 Corliss Street, Pittsburgh, PA 15220 Attn: Mr. Rick Moslen 412-999-0590
- f) CSXT, 4901 Belfort Road, Jacksonville, FL 32256 Attn: Leslie L. Scherr 904-366-3057
- g) Pennsylvania Dept of Transportation, Office of Chief Counsel, Keystone Bldg., 400 North Street, Harrisburg, PA 17120 Attn: Gina Alfonso, Esq. 717-787-3128
- h) Pennsylvania Department of Transportation, District 11-0,
 45 Thoms Run Road, Bridgeville, PA 15017
 Attn: Malek Francis 412-429-4949
- 5. Applicant proposes to perform the work specified above at its initial cost and expense, utilizing funding assistance from the Commonwealth and Federal funding. The relocation of utilities, if required, should be at the initial cost and expense of the utility company involved.
- 6. Applicant requests field conferences and hearings to determine the allocation of the costs thereof.

WHEREFORE, applicant prays that your Honorable Commission approve this application.

Stephen G. Shanley, P.E.

Director, Allegheny County Department of Public Works

AFFIDAVIT

COMMONWEALTH OF PENNSYLVANIA)	
)	SS:
COUNTY OF ALLEGHENY)	

STEPHEN G. SHANLEY, P.E., being duly sworn according to law deposes and says that he is the Director of the Department of Public Works of Allegheny County; that he is authorized to and does make this affidavit for the County of Allegheny; and that the facts set forth in the foregoing petition are true and correct to the best of his knowledge, information and belief.

Stephen G. Shanley, P.E. Director, Allegheny County Department of Public Works

Sworn to and Subscribed

before me this

3

Admit

My Commission Expires

6/21/10

COMMONWEALTH OF PENNSYLVANIA

Notarial Seal Jennifer M. Hayes, Notary Public City of Pittsburgh, Allegheny County My Commission Expires June 21, 2016

MEMBER, PENNSYLVANIA ASSOCIATION OF NOTARIES

PA P.U.C. BUREAU

RECEIVED

FEDERAL PROJECT NO. X-111-547-LICE

	DISTRICT		OUNTY		Ī	TO	WNS	HIF		BORG			T	Rou	E	1 s	ECT	10N	101	ΔL	SHEET
1 000	i !	ALL	ECHEN	Y	į 🗆	_			- j	PITTSE	SUR	GH	j	ZDD.	TН	j			Ţ		
B00	1:1-0				į –				j	IST WA	RĐ	&	_i_	TEN.	TΗ	i			7	1	4
1	11120				įΞ				j	17TH	WAI	₹D	1 :	STRE	ΕT	Ī			7	- I	4
	J i				<u> </u>				i_				Ţ.			i			7		
									WBS EL	EME	NT										
		T/P	SYS	ļ		#0			SPUR	PHA	SI	ECT	NO1	1	OR	ŧG.	\neg		PRG.		P_C
		P	0	9	6	5 [81	2	0	1 7	0	Ι0	10	1 i	l 1 .	11	0	2	2 1	3	1

ECMS 79881

COUNTY OF ALLEGHENY



DEPARTMENT OF PUBLIC WORKS

DRAWINGS

FOR

DESIGN FIELD VIEW

OF

PHILIP MURRAY BRIDGE (SOUTH TENTH STREET BRIDGE)

IN____ALLEGHENY COUNTY

FROM STA. 0+00.00 TO STA. 21+70.00 LENGTH 2121.65 FT. 0.402 MI.

ALSO PLANS:

TRAFFIC CONTROL PLAN 15 SHEETS SIGNING AND PAVEMENT MARKING PLAN 3 SHEETS EROSION AND SEDIMENT CONTROL PLANS 6 SHEETS STRUCTURE PLANS 2 SHEETS EXISTING STRUCTURE PLANS (FOR INFORMATION ONLY) X SHEETS

> 2015 HAR 18 AH 10: 15
> SECRETARY'S BUREAU RECEIVED

SCALE

50 FEET HOR ! ZONTAL 10 FEET VERTICAL

DESIGN DESIGNATION

HIGHWAY CLASSIFICATION - URBAN PRINCIPAL ARTERIAL - COMMUNITY ARTERIAL - URBAN CORE ROADWAY TYPOLOGY

DESIGN SPEED - 25 MPH

PAVEMENT WIDTH - 3, 10'-0" / 2, 5'-0"

MEDIAN WIDTH - N/A SHOULDER WIDTH - N/A

TRAFFIC DATA

CURRENT A.D. T. - 12002 12015) DESIGN YEAR A.D.T. - 13671 (2035)

- 55% T - 5%

APPROVED COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF TRANSPORTATION

DATE

RECOMMENDED.

DISTRICT EXECUTIVE

THAT AUTHORIZED THE ADVERTISEMENT OF THIS PROJECT FOR CONSTRUCTION APPROVED ALLEGHENY COUNTY
DEPARTMENT OF PUBLIC WORKS CHIEF EPIDGE ENGINEEP DATE DEPUTY DIRECTOR

APPROVED BY THE COUNTY MANAGER
OF ALLEGHENY COUNTY PREPARED BY:

REG. PROF. ENGR. PENNA NO.

DATE:

Billsburgh, Bennsulvania

Department of Public Works

CONSTRUCTION DRAWINGS

FOR

RECONSTRUCTION

PHILIP MURRAY BRIDGE-PHASE 2 (SOUTH TENTH STREET BRIDGE)

COUNTY PROJECT NO. MA11-3511

DES. JLT SEH CHK. JAS 26099 DATE 10/9/13 SCALE AS NOTED SHEET I OF 14

SHEET INDEX	DECORD OF EVICTING COAD TURES	
	RECORD OF EXISTING ROAD TYPES	
3.000	NOTE: THE DEPTHS OF MATERIAL SHOWN ARE FOR DESIGN PURPOSES ONLY. ANY RISK OF UNANTICIPATED COST ASSOCIATED WITH DIFFERENCES BETWEEN THE LISTED DEPTHS AND THE ACTUAL DEPTHS SHALL BE ACCEPTED BY THE CONTRACTOR.	PENNSYLVANIA
I TLE SHEET	DIFFERENCES BETWEEN THE LISTED DEPTHS AND THE ACTUAL DEPTHS SHALL BE ACCEPTED BY THE CONTRACTOR.	
NDEX MAP 2		ERIE
OCATION MAP AND GENERAL NOTES 3		MAPREN DE MEAN BRADFORD CONTRACT
PICAL SECTION SHEET 4	STA. 0+00.00 TO 51/4" BITUMINOUS WEARING COURSE OR MASONRY OVERLAY ON STA. 7+71.16 9" REINFORCED PCC BASE COURSE ON	POTTEF TOGA : SSS 4 \
RAINAGE DETAILS 5 TO 6	B" BALLAST SUBBASE	OIL CITY FOREST ELL CANADA STATE
DADWAY PLAN 7 TO 1;		WEPCEP LINE TO THE TOTAL TO THE TOTAL TOTA
OF ILE 12 TO 14	STA. 7+71.16 TO 2 - 3 1/2" BITUM INDUS WEARING COURSE ON	CLARION CO CLEASE TELO CLINION WONTOURSVILLE
	STA. 7+71.16 TO 2 - 3 1/2" BITUMINOUS WEARING COURSE ON STA. 20+46.16 1" BITUMINOUS LEVELING COURSE ON 3" CONCRETE FILLED GRID	The state of the s
PPLEMENTAL PLANS	TOTAL LE TREED ONTO	
AFFIC CONTROL PLAN 1 TO 15	STA. 20+46.16 TO 61/4" BITUMINOUS WEARING COURSE OR MASONRY OVERLAY ON	A A A A A A A A A A A A A A A A A A A
CNING AND PAVEMENT MARKING PLAN 1 TO 3	STA. 20+46.16 TO 61/4" BITUMINOUS WEARING COURSE OR MASONRY OVERLAY ON 9" REINFORCED PCC BASE COURSE ON 8" BALLAST SUBBASE.	ALLENTOWNS ALLENTOWNS
DSION AND SEDIMENT CONTROL PLANS 1 TO 6	O Director Sobbide	Configuration of the state of t
RUCTURE PLANS 1 TO 2		
ISTING STRUCTURE PLANS (FOR REFERENCE ONLY) 1 TO X		MASH HIGTON FAYETTE REPORTS AND PERRY BENESDED B
TO A TO THE PROPERTY OF A TO A		LANCASIEP & LANCASIEP
	,	CREEKE \ 1 4 / S S YOR \ / S / PHILADELPHIA
		ADAMS ADAMS
		/ 11 DISTRICT
		OISTRICT OFFICE
START WORK SOUTH TENTH STREET		PROJECT LOCATION
STA 0+46.25		/
ا ا ا ا	CITY MATHTENANCE	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	MATHTENANCE RESPONSIBILITY	
		3 \$ / //\$ / (* // // // // // //
		STA 21+70.00 SOUTH TENTH/STREET COUNTY OF PLITTSBURGH
		■ SI I II WIII > 7' \ SM\ \ \ /
	R=500',	
	R=500' R=	T T T T T T T T T T T T T T T T T T T
المارية المارية		
	SURVEY & CONSTR &	STOP WORK
	COUNTY 4 1 2 12	
	COUNTY A RESPONSIBILITY THE RESP	STOP WORK // STA 21+67.90 // SOUTH JENTH STREET
IL IMIT OF WORK		
STA 0+00.100		
LIMIT DF WORK STA 0+00.000 SOUTH TENTH/STREET CITY OF PITSBURGH ALLEGHENY COUNTY		_
		1 1 26 2 77 14 16 76 77 77
	·	LEGEND
LIST OF PROPERTY OWNERS		County of Allegheny
CITY OF PITTSBURGH		
(6) CITY OF		PROFILE SHEET Department of Public Works
A LEGINIOPKE DI AZZ. 1 3		
(2) IRONWORKS PLAZA, L.P. (7) UNIVERSITY OF	PITTSBURGH MEDICAL CENTER SYSTEM	PARCEL IDENTIFICATION REVISIONS CONSTRUCTION DRAWING
	A	PARCEL (DENTIFICATION
	A)	NUMBER - NO TAKE INDEX MAP
	MISTIC & M. HOBERI MISTIC	
INTH STREET BUSINESS ASSOCIATES	MISTIC & M. ROBERT MISTIC	
3 IOTH STREET BUSINESS ASSOCIATES, B D. THOMAS	MISTIC & M. RUBERT MISTIC	
3 IOTH STREET BUSINESS ASSOCIATES, A PENNSYLVANIA LIMITED PARTNERSHIP (B) D. THOMAS	MISTIC & M. RUBERT MISTIC	PHASE 2
3 IOTH STREET BUSINESS ASSOCIATES, A PENNSYLVANIA LIMITED PARTNERSHIP 4 PWA IOTH STREET DEVELOPMENT, LP, A PENNSYLVANIA LIMITED PARTNERSHIP	BURGH	PHASE 2 PHILIP MURRAY BRIDGE
3 IOTH STREET BUSINESS ASSOCIATES, A PENNSYLVANIA LIMITED PARTNERSHIP 4 PWA IOTH STREET DEVELOPMENT, LP, A PENNSYLVANIA LIMITED PARTNERSHIP	MISTIC & M. RUBERT MISTIC	PHASE 2

SOUTH TENTH STREET STA 0+00.00 TO STA 21+70.00 = 2170 FT = 0.411 MILES

CONSTRUCTION LENGTH

SOUTH TENTH STREET STA 0+46.25 TO STA 21+67.90 = 2121.65 FT = 0.402 MILES

TABULATION OF EQUALITIES

CALL BEFORE YOU DIG !


PEMNSYLVANIA LAW REQUIRES 3 WORKING DAYS NOTICE FOR CONSTRUCTION PHASE AND 10 WORKING DAYS IN DESIGN STAGE - STOP CALL

PENNSYLVANIA ONE CALL SYSTEM. INC



-800-242-1776

DESIGN SERIAL NO. 20132771830 [17TH WARD) 20132771829 (1ST WARD)



LOCATION MAP

SCALE IN MILES

LEGEND

PROJECT

STATE ROUTE

TOWNSHIP ROAD LOCAL STREET

STREAM/RIVER

DETOUR ROUTE

LIMIT OF WORK STA 21-70,00 -SOUTH TENTH STEET CITY OF PITTSBURGH ALLEGHENY COUNTY

4310 DUTCH RIDGE ROAD PITTSBURGH, PA 15220 PHONE: 412-979-4452 ATTN: FRANK FISHER (MICHAEL BAKER CORPORATION)

PHONE: 412-766-4810 EXT ATTN: KENNETH M. BABIN

ALLEGHENY COUNTY SANITARY AUTHORITY 3300 PREBLE AVENUE PITTSBURGH, PA 15233 PHONE: 412-766-4810_EXT 8283

EQUITABLE GAS COMPANY 200 ALLEGHENY CENTER PITTSBURGH, PA 15212 PHONE: 412-395-3642 ATTN: SEAN KOZIELEC

AT&T METRO/LSN 2500 ALLEGHENY CENTER PITTSBURGH, PA 15212 PHONE: 412-316-9930 ATTN: JAMES SCHRENK

SUMMARY OF PROJECT COORDINATES

BASED ON PENNSYLVANIA STATE PLAN COORDINATE SYSTEM (SOUTH ZONE) COMBINED FACTOR 0.99992870

ROUTE	STATION	POINT	COORD	BEARING		
			NORTH	EAST	UC#K ING	
SOUTH TENTH STREET SURVEY & CONSTR &	0+00.00	POT	406952.0777	1345363, 7608		
SUNVER & CONSIR (6+42.10	PC	407594.1632	1345358.9606	NO°25'42"₩	
	6+90.01	PI	407642.0726	1345358.6024		
] [7+37.63	PT	407689.0421	1345349. 1528		
	21+70.00	POT	409093.2711	1345066.6423	N11°22′31"W	

FOUR (4) PLACE COORDINATES ARE USED FOR COMPUTATIONAL PURPOSES ONLY AND DO NOT IMPLY A PRECISION BEYOND TWO (2) DECIMAL PLACES.

> VERIZON PENNSYLVANIA, INC. 131 SETON HILL DRIVE - FLOOR 38 GREENSBURG. PA 15601 PHONE: 412-255-8941 ATTN: JON GAUNT

THE PITTSBURGH WATER AND SEWER AUTHORITY
PENN LIBERTY PLAZA [
1200 PENN AVENUE - 2ND FLOOR
PITTSBURGH, PA 15222-4204
PHONE: 724-578-7193
ATTN: ANTHONY TETI

DUQUESNE LIGHT COMPANY 2601 PREBLE AVENUE PITTSBURCH, PA 15233 PHONE: 412-393-7813 ATIN: RUSTY HUGHES

DQE COMMUNICATIONS
411 SEVENTH AVENUE
PITTSBURGH, PA 15219
PHONE: 412-779-0221 ATTN: JAMES SCANLON

— F — LIST OF NON-UTILITIES

CITY OF PITTSBURGH STREET LIGHTING 414 GRANT STREET, ROOM 301 PITTSBURGH, PA 15219 ATTN: BEN CARLISE

CITY OF PITTSBURGH TRAFFIC SIGNALS 414 GRANT STREET, ROOM 301 PITTSBURGH, PA 15219 ATTN: MS. AMANDA PURCELL. P. E.

CSXI 500 WATER STREET, C907 JACKSONVILLE, FL 32202 PHONE: 904-359-1036 ATTN: CARL A. ROE, JR. P.E.

23, 2009 23, 2009 23, 2009 23, 2009

JUNE

JUNE DECEMBER

COLUMBIA GAS OF PA 150 HILLSIDE DRIVE BETHEL PARK, PA 15102

LEVEL 3 COMMUNICATIONS LLC 200 TECHNOLOGY DRIVE PITTSBURGH, PA 15219 PHONE: 412-770-9285 ATTN: STEPHEN PUTT

VERIZON BUSINESS 200 CHESTNUT STREET PHILADELPHIA, PA 19106 PHONE: 610-337-6707 ATTN: JOHN ALESSANDRINI

PHONE: 412-409-4068 ATTN: DUST IN HAGG

DETAILS OTHER THAN THOSE INDICATED, ARE ON THE FOLLOWING STANDARD DRAWINGS.

TC-8600 TC-8716 TC-8717 TC-8604 TC-8700C

RC-20M RC-21M	(7 SHEETS)	JUNE 1, 2010 JUNE 1, 2010
RC-27M RC-30M	(2 SHEETS)	JUNE 1, 2010 JUNE 1, 2010
RC-64M RC-67M	(14 SHEETS)	JUNE 1, 2010 JUNE 10, 2013
BC-701M BC-713M BC-716M BC-721M BC-7236M BC-767M BC-783M	(3 SHEETS) (13 SHEETS) (2 SHEETS) (2 SHEETS) (3 SHEETS) (6 SHEETS) (4 SHEETS)	MAY 18, 2012 OCTOBER 26, 2010 MAY 18, 2012 OCTOBER 26, 2010 MAY 18, 2012 MAY 18, 2012 MAY 18, 2012

EARTHWORK SUMMARY ENTIRE PROJECT

THE INFORMATION ON ESTIMATED AMOUNTS OF EARTHWORK HAS BEEN USED IN THE PRELIMINARY ESTIMATE. DO NOT USE AS A WAIVER OF ANY PROVISIONS OF THE SPECIFICATIONS AND CONTRACTS.

	CUBIC YARDS OF EXCAVATION					CUBIC YARDS	CUBIC YARDS OF	CUBIC YARDS OF	CUBIC YARDS OF		
CLASS 1	CLASS 1A	CLASS 1B	CLASS 2	CLASS 3	CLASS 4	OF COMPLETED EMBANKMENT =	SELECTED BORROW EXCAVATION	FOREIGN BORROW EXCAVATION	WASTE		
0	0	0	0	0	0	0	0	0	0		

INCLUDES ALL BORROW ITEMS

.. INCLUDED IN LUMP SUM STRUCTURE ITEMS

INIT OF WORK STA 0+00.00 SOUTH TENTH STREET CITY OF PITTSBURGH

ALLEGHENY COUNTY

GENERAL NOTES

THE LEGAL RIGHT-OF-WAY ON SOUTH TENTH STREET FROM STATION 2+50.00
TO STATION 10+38.94 IS VARIABLE IN WIDTH BASED ON COUNTY OF
ALLEGHENY DEPARTMENT OF ENGINEERING AND CONSTRUCTION CONDEMNATION
PLAN FOR REHABILITATION OF SOUTH TENTH STREET BRIDGE, COUNTY
PROJECT NO. MAII-3506. DATED JULY 7, 1989 AND APRROYED JULY 24, 1989.

THE LEGAL RICHT-OF-WAY ON SOUTH TENTH STREET FROM STATION 10+38.94
TO STATION 17+33.80 AND FROM STATION 18+81.89 TO STATION 20+43.31 IS
VARIABLE IN WIDTH BASED ON THE COURT OF QUARTER SESSIONS AUTHORIZED
ALLEGHENY COUNTY TO OPEN, CONSTRUCT, AND MAINTAIN THE BRIDGE BY IT'S
COMMISSIONERS ROAD DOCKET NO. 3 MAY SESSIONS 1930.

THE LEGAL RIGHT-OF-WAY ON SOUTH TENTH STREET FROM STATION 17+33.80 TO STATION 18+81.89 IS VARIABLE IN WIDTH BASED ON DEPARTMENT OF HIGHWAYS DRAWINGS FOR CONDEMNATION OF RIGHT-OF-WAY FOR L.R. 764 SECTION C-10 AS RECORDED IN HIGHWAY PLAN BOOK VOLUME 10, PAGES 28 TO 41, INCLUSIVE ON SEPTEMBER 8, 1952.

THE LEGAL RICHT-OF-WAY ON SOUTH TENTH STREET FROM STATION 20+43.31 TO STATION 21+70.00 IS VARIABLE IN WIDTH BASED ON DEPARTMENT OF HIGHWAYS DRAWINGS FOR CONDEMNATION OF RIGHT-OF-WAY FOR L.R. 764 SECTION C-10 AS RECORDED IN HIGHWAY PLAN BOOK VOLUME 10, PAGES 28 TO 41, INCLUSIVE ON SEPTEMBER 8, 1952.

PRIVATE PROPERTY LINES ARE PLOTTED FROM THE DEED OF RECORD, RECORDED SUBDIVISION OR LOT PLANS, EXISTING TOPOGRAPHICAL FEATURES AND LIMITED FIELD DATA. PRIVATE PROPERTY LINES WERE NOT SURVEYED BY THE PROFESSIONAL LAND SURVEYOR RESPONSIBLE FOR THE PROJECT.

THE COUNTY DOES NOT CUARANTEE THE ACCURACY OF THE LOCATIONS OF THE EXISTING SUBSURFACE UTILITY STRUCTURES SHOWN ON THE PLANS, NOR DOES THE COUNTY GUARANTEE THAT ALL SUBSURFACE STRUCTURES ARE SHOWN.

THREE WORKING DAYS PRIOR TO EXCAVATION, THE CONTRACTOR MUST CONTACT THE PA ONE CALL SYSTEM INC., PHONE: 1-800-242-1776., SERIAL NUMBER ______ FOR 15T WARD AND SERIAL NUMBER _____

TEMPORARY CONSTRUCTION EASEMENT. AN EASEMENT TO USE THE LAND AS NECESSARY DURING CONSTRUCTION OF THE PROJECT. THE EASEMENT IS REQUIRED ONLY UNTIL THE CONSTRUCTION OR WORK INDICATED BY THE PLAN IS COMPLETED, UNLESS SOONER RELINGUISHED IN WRITING BY THE DEPARTMENT.

"ONE CALL" SERVICES DO NOT LOCATE BURIED RAILROAD SIGNAL AND COMMUNICATIONS LINES. THE CONTRACTOR SHALL CONTACT THE RAILROAD'S REPRESENTATIVE 2 DAYS IN ADVANCE OF WORK AT THOSE PLACES WHERE EXCAVATION, PILE DRIVING, OR HEAVY LOADS MAY DAMAGE RAILROAD UNDERGROUND LINES ON RAILROAD PROPERTY. UPON REQUEST FROM THE CONTRACTOR OR AGENCY, RAILROAD SIGNAL FORCES WILL LOCATE AND PAINT MARK OR FLAG RAILROAD UNDERGROUND SIGNAL, COMMUNICATION, AND POWER LINES IN THE AREA TO BE DISTURBED FOR THE CONTRACTOR. THE CONTRACTOR SHALL AVOID EXCAVATION OR OTHER DISTURBANCE OF THESE LINES WHICH ARE CRITICAL TO THE SAFETY OF THE RAILROAD AND THE PUBLIC. IF DISTURBANCE OR EXCAVATION IS REQUIRED NEAR A BURIED RAILROAD SIGNAL, COMMUNICATION, OR POWER LINE, THE CONTRACTOR SHALL COORDINATE WITH THE RAILROAD TO HAVE THE LINE POTHOLED MANUALLY WITH CAREFUL HAND EXCAVATION. THE LINE SHALL BE PROTECTED BY THE CONTRACTOR DURING THE COURSE OF THE DISTURBANCE UNDER THE SUPERVISION AND DIRECTION OF A RAILROAD SIGNAL REPRESENTATIVE.

CONSTRUCT PROJECT IN ACCORDANCE WITH THE LATEST EDITION OF PUBLICATION 40B SPECIFICATIONS.

DO NOT INTERFERE WITH THE OPERATION OF ANY FIRE HYDRANT, FIRE CALL BOX OR POLICE CALL BOX,

THIS IS A FEDERAL-AID PROJECT AND AS SUCH IS SUBJECT TO INSPECTION BY REPRESENTATIVES OF THE FEDERAL HIGHWAY ADMINISTRATION AND THE PENNSYLVANIA DEPARTMENT OF TRANSPORTATION.

VERTICAL CONTROL IS BASED ON NATIONAL GEODETIC VERTICAL DATUM (NAVD) OF 1988.

HORIZONTAL CONTROL IS TIED TO THE PENNSYLVANIA STATE PLANE COORDINATE SYSTEM (SOUTH ZONE) BASED ON THE NORTH AMERICAN DATUM 1983 (NAD83).

ALL CURVE DATA IS BASED ON THE ARC DEFINITION UNLESS OTHERWISE

MONONGAHELA RIVER 15 A NAVIGABLE RIVER.

County of Allegheny

Bilisburgh, Bennsulvania Department of Public Works


REVISIONS


CONSTRUCTION DRAWING


LOCATION MAP AND GENERAL NOTES


PHASE 2 PHILIP MURRAY BRIDGE MA11-3511


DES.	DRN.	CHK.	26000 5
DATE 10/9/13	SCALE NOTED	SHEET 3 OF 14	26099-B























THIS WORK CONSISTS OF THE MAINTENANCE OF TRAFFIC AND THE PROTECTION OF THE TRAVELING PUBLIC APPROACHING THE CONSTRUCTION AREA AND WITHIN THE LIMITS OF CONSTRUCTION.

FURNISH, ERECT, PLACE AND MAINTAIN TRAFFIC CONTROL SIGNS AND DEVICES AND MAINTAIN TRAFFIC DURING HOURS OF CONSTRUCTION AND AT ALL OTHER TIMES IN ACCORDANCE WITH THE METHODS INDICATED ON THESE DRAWINGS AND THE FOLLOWING:

- -THE SPECIAL PROVISIONS OF THE CONTRACT.
 -PA CODE. TITLE 67. CHAPTER 212, OFFICIAL TRAFFIC CONTROL DEVICES.
- -PENNOOT PUBLICATION 35, APPROVED CONSTRUCTION MATERIALS (BULLETIN 15).
- -PENNDOT PUBLICATION 213, TEMPORARY TRAFFIC CONTROL GUIDELINES.(APRIL 2010 ED.) -PENNDOT PUBLICATION 234, FLAGGING HANDBOOK. -PENNDOT PUBLICATION 236, HANDBOOK OF APPROVED SIGNS,

- FEBRUARY 2012.

- FEBRUARY 2012.
 -PENNDOT PUBLICATION 408/2011, SPECIFICATIONS, LATEST VERSION.
 -PENNDOT STANDARD TC-8600 AND TC-8700, TRAFFIC CONTROL SIGNING STANDARD PUBLICATION 111M.
 -MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD), (2009 ED.)
 -PENNDOT STANDARD TC-8800, TRAFFIC STANDARDS-SIGNALS PUBLICATION 148

IMMEDIATELY UPON COMPLETION OF THE WORK, REMOVE THE DEVICES. UNLESS OTHERWISE SPECIFIED, THEY REMAIN THE PROPERTY OF THE CONTRACTOR. THE DEPARTMENT WILL REMOVE ANY TRAFFIC CONTROL DEVICES ERECTED BY DEPARTMENT FORCES.

THE COUNTY CONSTRUCTION ENGINEER OR REPRESENTATIVE WILL INSPECT ALL TRAFFIC CONTROL DEVICES PRIOR TO THE START OF

AN ALTERNATE TRAFFIC CONTROL PLAN (TCP) MAY BE SUBMITTED FOR COUNTY APPROVAL. HAVE THE ALTERNATE TCP STONED AND SEALED BY A PROFESSIONAL ENGINEER REGISTERED IN THE STATE OF PENNSYLVANIA AND BE CONSISTENT WITH STANDARD MPT PRACTICES. THE COUNTY NEEDS TO APPROVE. IN WRITING, ANY TCP MODIFICATIONS BEFORE IMPLEMENTATION BY THE CONTRACTOR.

LANE WIDTHS FOR TWO WAY TRAFFIC SHOULD GENERALLY BE EQUAL TO LANE WIDTHS OF THE EXISTING FACILITY, BUT NOT LESS THAN 10 FEET FOR TEMPORARY TRAVEL LANES, LANES SHALL BE PAYED UNLESS EXCEPTIONS ARE PRE-APPROVED BY THE PROJECT ENGINEER. WHEN ONE LANE, ONE-WAY OPERATION IS NECESSARY, A MINIMUM WIDTH OF 11

MAINTAIN ACCESS TO ALL SIDE STREETS AND DRIVEWAYS, BOTH COMMERCIAL AND RESIDENTIAL, AT ALL TIMES.

PROVIDE ALL REQUIRED TEMPORARY PAVEMENT MARKINGS AS INDICATED ON THE PLANS. REMOVE ALL PAVEMENT MARKINGS WHEN THEY ARE NO LONGER REQUIRED OR AS DIRECTED. REMOVE ANY PAVEMENT MARKINGS THAT ARE IN CONFLICT WITH THE TEMPORARY TRAFFIC PATTERNS.

LONG TERM WARNING SIGNS SHALL UTILIZE PENNDOT APPROVED FLUORESCENT SHEETING. ALL OTHER SIGNS SHALL UTILIZE PENNDOT APPROVED SHEETING OR BETTER. MOUNT ALL LONG TERM SIGNS ON TYPE !!! BARRICADES UNLESS DIRECTED OTHERWISE.

THE PROJECT TRAFFIC CONTROLS INCLUDING SIGNING, PAVEMENT MARKINGS, WARNING LIGHTS AND REFLECTIVE DEVICES SHOULD BE INSPECTED DAILY (INCLUDING WEEKENDS, HOLIDAYS AND NIGHT TIME). ADVISE PENNDOT OF THE INSPECTION SCHEDULE AND PROVIDE AN OPPORTUNITY FOR PENNDOT PARTICIPATION.

FLAGGING PERSONNEL AND EQUIPMENT WILL BE IN ACCORDANCE WITH PA CODE, TITLE 67 CHAPTER 212 AND PUBLICATION 234 FLAGGING HANDBOOK AND IN RADIO COMMUNICATION AT ALL TIMES. PAID FOR UNDER ITEM 0901-0001.

TEMPORARY TRAFFIC CONTROL SIGNS AND DEVICES INDICATED ARE THE MINIMUM REQUIRED. IF NECESSARY, THE COUNTY MAY REQUIRE THE FURNISHING AND PLACEMENT OF ADDITIONAL TRAFFIC CONTROL DEVICES. PLACE ADDITIONAL SIGNS AND DEVICES AS REQUIRED.

MAINTAIN POSITIVE GUIDANCE TO ALL MOTORISTS WITHIN THE CONSTRUCTION AREA. INCORPORATE EXISTING AND EVENTUALLY FINAL SIGNING AND PAVEMENT MARKINGS AS THE PHASES OF CONSTRUCTION ARE COMPLETED. REFERENCE THE SIGNING AND PAVEMENT MARKING PLANS CONTAINED IN THIS PLAN SET FOR FINAL SIGNING AND PAVEMENT MARKINGS.

THIS TRAFFIC CONTROL PLAN DOES NOT RELIEVE THE CONTRACTOR OF ITS RESPONSIBILITY AS SPECIFIED IN SECTION 901.3(o) OF PUBLICATION 408/2011 SPECIFICATION.

ALL SIGNS SHALL BE PLACED SO THAT A MINIMUM CLEAR PATH OF 4 FEET IS MAINTAINED FOR PEDESTRIAN ACCESS.

ALL SIGN DISTANCES MAY BE ADJUSTED SLIGHTLY TO FIT FIELD CONDITIONS.

USE TYPE "C" LIGHTS ON EVERY CHANNELIZING DEVICE IN TRANSITION AREAS, AND EVERY THIRD DEVICE IN TANGENT SECTIONS.

GENERAL NOTES (CONT'D)

ALL POST MOUNTED SIGNS MUST BE MOUNTED ON BREAKAWAY STEEL POSTS AS SPECIFIED IN SECTION 1103.08 OF PENNOOT PUBLICATION

LOCATIONS OF ALL SIGNS ARE TO MEET CURRENT STANDARDS FOR OFFSET, MOUNTINGS HEIGHT AND BE PROPERLY BALLASTED.

CONTACT THE COUNTY TRAFFIC ENGINEER PRIOR TO OPENING ROAD TO TRAFFIC TO REVIEW SIGNS AND PAVEMENT MARKING PATTERNS.

CONSTRUCTION DETAILS OTHER THAN THOSE SHOWN ON THESE DRAWINGS SHALL CONFORM TO THE FOLLOWING STANDARD DRAWINGS:

TC-8500	JUNE	13.	201
TC-8716	JUNE	13.	201
TC-8717	JUNE	13.	201
TC-8504	JUNE	13.	201
TC-8700C	JUNE	13.	201
TC-8800	DECEMBER		
BC-719M	OCTORER	26	201

SEQUENCE OF CONSTRUCTION

OVERVIEW

THIS WORK IS FOR THE REHABILITATION OF THE EXISTING SIDEWALKS, BRIDGE AND VAULT ROOF. THE FOLLOWING CONSTRUCTION STAGES WILL FACILITATE THE REHABILITATION OF THE BRIDGE. STAGE 1

10 DAYS PRIOR TO THE START OF PHYSICAL WORK. ERECT ADVANCE CONSTRUCTION ADVISORY SIGNS AS INDICATED IN THE SPECIAL PROVISION SECTION 901.

SET UP THE TEMPORARY TRAFFIC CONTROL DEVICES DURING OFF-PEAK HOURS USING THE APPROPRIATE PATA FIGURE FOR THE OPERATION AND AS INDICATED IN THE TRAFFIC CONTROL PLAN.

CONSTRUCT THE NORTHEAST HANDICAP RAMPS AT THE INTERSECTION OF 2ND AVENUE AND SOUTH 10TH STREET BRIDGE PRIOR TO CLOSING THE EAST SIDE OF THE BRIDGE AND SIDEWALK.

COVER EXISTING SIGNS RESTRICTING PARKING BETWEEN 3PM-7PM ALONG

CLOSE THE EAST SIDEWALK AND PROVIDE TEMPORARY PEDESTRIAN CROSSING AT SECOND AVENUE AND MURIEL STREET.

SET UP TRUCK DETOUR PRIOR TO CLOSING THE EAST SIDE OF THE BRIDGE.

CLOSE THE TWO EAST LANES AND SHIFT TRAFFIC TO THE WEST LANE AS INDICATED IN THE TRAFFIC CONTROL PLAN.

RECONSTRUCT THE EAST PORTION OF THE BRIDGE, VAULT ROOF, SIDEWALK AND HANDICAP RAMPS.

MILL AND OVERLAY THE EXISTING EAST LANES UP TO THE BINDER COURSE. (STA. 7-7).16 TO \$TA. 20-46.16)

SET UP THE TEMPORARY TRAFFIC CONTROL DEVICES DURING OFF-PEAK HOURS USING THE APPROPRIATE PATA FIGURE FOR THE OPERATION AND AS INDICATED IN THE TRAFFIC CONTROL PLAN.

CLOSE THE WEST SIDEWALK AND PROVIDE TEMPORARY PEDESTRIAN CROSSING AT SECOND AVENUE AND MURIEL STREET.

SET UP DETOUR PRIOR TO CLOSING THE WEST SIDE OF THE BRIDGE.

CLOSE THE WEST SIDE OF THE BRIDGE AND SHIFT TRAFFIC BACK TO THE EAST LANE AS INDICATED IN THE TRAFFIC CONTROL PLAN.

RECONSTRUCT THE WEST PORTION OF THE BRIDGE, VAULT ROOFS, SIDEWALK AND HANDICAP RAMPS.

MILL AND OVERLAY THE EXISTING WEST LANES UP TO THE BINDER COURSE. (STA. 7+71.16 TO STA. 20+46.16)


PLACE WEARING COURSE AFTER TRAFFIC CONTROL DEVICES HAVE BEEN REMOVED. UTILIZE SHORT-TERM TRAFFIC CONTROL DURING OVERNIGHT HOURS, AS STATED IN SECTION 901.

REOPEN THE SIDEWALKS AND ROADWAY TO UNRESTRICTED TRAFFIC.

CONSTRUCT REMAINING HANDICAP RAMPS AT THE INTERSECTION OF SOUTH 10TH STREET AND MURIEL STREET IN ACCORDANCE WITH PATA 16 AND 41.


CONSTRUCT NORTHWEST HANDICAP RAMPS AT THE INTERSECTION OF SOUTH 10TH STREET AND SECOND AVENUE IN ACCORDANCE WITH PATA 16 AND 41

REMOVE NORTHEAST HAND!CAP RAMPS AND RETURN BACK TO ORIGINAL CONDITION.



TEMPORARY BARRIER, TEST LEVEL3. BARRIER DEFLECTION DISTANCE </= 2' MODIFIED ITEM 4627-3020


RESET TEMPORARY BARRIER, TEST LEVEL3 BARRIER DEFLECTION DISTANCE </ = 2' MODIFIED ITEM 4628-3020



TEMPORARY CONCRETE BARRIER STRUCTURE MOUNTED MODIFIED ITEM 4643-0001

TEMPORARY CONCRETE BARRIER STRUCTURE MOUNTED, RESET MODIFIED ITEM 4644-0001

REVISIONS



WATER BLAST ALL TEMPORARY CONCRETE
BARRIER WITH A MINIMUM OF 3000 PSJ BEFORE
PAINTING, (INCIDENTAL TO ITEMS 4627-0001 AND 4643-0001)

County of Allegheny

Billsburgh, Bennsulvania Department of Public Works

TEMPORARY LANE SEPARATOR CURB ITEM 9901-0825 NTS


CONSTRUCTION DRAWING


TRAFFIC CONTROL PLAN GENERAL NOTES

PHASE 2 PHILIP MURRAY BRIDGE MA11-3511

JPP CHX. STS 26099-B DATE 10/9/13 SCALE NOTED SHEET FOF 15

RECOMMENDED. DISTRICT TRAFFIC ENGINEER





BEFORE THE PENNSYLVANIA PUBLIC UTILITY COMMISSION

In Re: PUC Application Docket No.)	APPLICATION DOCKET
Application of the County of Allegheny for)	No.
approval of the alteration of an existing)	
crossing where the S. Tenth Street Bridge)	
(AAR 918499V) crosses above grade, the)	
tracks of CSX Transportation, Inc. in the)	
City of Pittsburgh, Allegheny County)	2015

CERTIFICATE OF SERVICE

I hereby certify that I have served a true copy of the foregoing document upon the participants, listed below, in accordance with the requirements of §1.54 (relating to service by participant).

Date: March 4, 2015

Service by USPS First-Class Mail, Postage Prepaid Addressed as Follows:

Duquesne Light Company 2825 New Beaver Avenue Pittsburgh, PA 15233

Attn: Jim Runatz 412-393-7813

Peoples Gas Company, 1201 Pitt Street Pittsburgh, PA 15221 Attn: Shane Moriarty 412-473-3962

Verizon of Pennsylvania 15 E. Montgomery Avenue, Second Floor, Pittsburgh, PA 15212 Attn: Mr. Jon Gaunt 412-255-8941

Level 3 Communications LLC, 122 Capital of TX Highway S Austin, TX 78746 Attn: Mr. Travor Peevey 512-742-3700

Comcast 300 Corliss Street Pittsburgh, PA 15220

Attn: Mr. Rick Moslen 412-999-0590

CSXT, 4901 Belfort Road Jacksonville, FL 32256

Attn: Leslie L. Scherr 904-366-3057

Pennsylvania Dept of Transportation Office of Chief Counsel Keystone Bldg. 400 North Street, Harrisburg, PA 17120 Attn: Gina Alfonso, Esq. 717-787-3128

Pennsylvania Department of Transportation, District 11-0 45 Thoms Run Road Bridgeville, PA 15017

Attn: Malek Francis 412 429 4949

Director, Allegheny County Department of Public Works

Stephen G. Shanley, P.E. Director Department of Public Works 501 County Office Building 542 Forbes Avenue Pittsburgh, PA 15219

RECEIVED 2015 HAR 18 AH 10: 17

PA P.U.C. SECRETARY'S BUREAU

Rosemary Chivetta, Secretary Pennsylvania Public Utility Commission PO Box 3265 Harrisburg, PA 17105-3265

