
RTE.	STATION	POINT	COORDINATES		BEARING
KIE.			NORTH	EAST	SCARING
. ≥	28+00-00	P. O. T	437286.6385	1356115.8824	N15* 49' 05 *W
_ w _	28+38.10	P. C.	437323. 2989	1356105.4961	N15* 49' 05 *W
SSE.	29+23.11	P. I.	437405.0867	1356082.3248	N52*37'04 "E
MZP	29+87.14	P. T.	437456, 6969	1356149.8714	N52* 37' 04 E
٩	31+89.56	P. O. T	437579.4320	1356310.5050	102 01 07 L

FOUR (4) PLACE COORDINATES ARE USED FOR COMPUTATIONAL PURPOSES ONLY AND DO NOT IMPLY A PRECISION BEYOND TWO (2) PLACES.

SUMMARY OF RIGHT-OF-WAY BREAKPOINT COORDINATES


BASED ON THE PENNSYLVANIA STATE COORDINATE SYSTEM

RTE.	STATION	ACCECT	COORDINATES	
Kie.	STATION	OFFSET	NORTH	EAST
	28+44.00	16.5' RT	437332.7462	1356119.8085
l	28+54, 00	32.00' RT	437343.2013	1356133. 4928
l	28+79.00	18.00' RT	437362.5728	1356118.6902
1	29+26.00	19' RT	437401.2003	1356129. 1268
	29+26,00	31.00' RT	437396. 2416	1356139.9607
i	29+47.00	22' LT	437440.2122	1356104.3851
STREE	29+48.00	22.00' RT	437415.7882	1356141.2703
😤	29+54.00	45.00' LT	437460.3143	1356090, 7872
<u>ν</u> .	29+62.00	42.00' LT	437467.3356	1356099.9100
	29+62.00	23.00' LT	437454.6190	1356114.5945
#	30+09·	24.2' RT	437450, 7891	1356182.2015
PENN	30+11	16' LT	437484. 4243	1356158.9131
Į į	30+11	20' LT	437487.0149	1356156. 9962
	30+12	44' LT	437506. 9375	1356142.2542
IS	30+24	60' RT	437431.2180	1356215, 4346
찙	30+25	31.2" RT	437454.6986	1356198.7980
1	30+32,00	45.00' LT	437519.5083	1356158.0427
	30+32.00	26.00' LT	437504.4108	1356169.5782
	30+60.00	26.00'. LT	437521.4105	1356191.8271
l ·	30+60-00	16.5' LT	437513.7616	1356197.6714
	30+60.00	16.5' RT	437487.6399	1356217.6301
Ι.	-	ļ		
Ι.				ļ




P. O. B. - STA, 28+00.00 EAST PENNVIEW STREET PK. NAIL SET

NOT TO SCALE




P.T.-STA. 29+87.41 EAST PENNVIEW STREET MARK ON CONCRETE

NOT TO SCALE




P. C. -STA. 28+38.10 EAST PENNVIEW STREET PK NAIL SET


NOT TO SCALE



NOT TO SCALE



P. I. - STA. 29+23.11 EAST PENNVIEW STREET PK NAIL SET NOT TO SCALE



P. O. E. -STA. 31+89.56 EAST PENNYIEW STREET PK NAIL SET



THE LEGAL RIGHT-OF-WAY ON EAST PENNVEW STREET IS THIRTY-THREE (33) FEET, BASED ON THE ACT OF JUNE 24, 1931 P.L. 220 SECTION 2012 AS AMENDED. IT HAD BEEN OPENED AND MAINTAINED FOR TWENTY-ONE (21) YEARS OR MORE BY SHALER TOWNSHIP, A FIRST CLASS TOWNSHIP, THERE IS NO PUBLIC RECORD OF ANY OTHER WIDTH.

APPROVAL OF THESE DRAWINGS IS NOT A CONDEMNATION OF THE PROPERTIES AFFECTED HEREIN AND DOES NOT IN ANY MANNER WHATSOEVER RESTRICT. THE USE OR DISPOSAL THEREOF. AUTHORIZATION TO CONDEMN UNDER THIS PLAN, IF REQUIRED, IS AUTHORIZED BY ARTICLE IV, SECTION 6, OF THE ALLEGHENY COUNTY HOME RULE CHARTER, ARTICLE VII. SECTIONS 701.02 & 703.07 OF THE ALLEGHENY COUNTY ADMINISTRATIVE CODE AND THE ACT OF 1953 JULY 28, P.L. 723 ART. XXVI, SECTION 560LET SEQ. THE DECLARATION(S) OF TAKING REQUIRED WAS AUTHORIZED BY ORDINANCE NO.....ENACTED......20 , OF THE ALLEGHENY COUNTY COUNCIL AND BY THE COUNTY EXECUTIVE 20 AGENDA NO.

ALL REQUIRED RIGHT-OF-WAY FOR THIS PROJECT WILL BE ACQUIRED IN FEE SIMPLE UNLESS OTHERWISE NOTED. AREAS DESIGNATED AS REQUIRED FOR OTHER THAN RIGHT-OF-WAY SHALL BE ACQUIRED IN SUCH ESTATE AS DESIGNATED.

ALL PROPERTIES ARE PLOTTED FROM DEEDS OF RECORD, RECORDED SUBDIVISION OR LOT PLANS. PROPERTY LINES NOT ESTABLISHED BY FIELD SURVEYS WERE PLOTTED BASED ON EXISTING TOPOGRAPHICAL FEATURES AND LIMITED FIELD DATA. PROPERTY PLOTS ARE NOT A SUBSTITUTION FOR A BOUNDARY SURVEY.

THE CIRCLED NUMBER INDICATES A SCALED DIMENSION.

TEMPORARY CONSTRUCTION EASEMENT. AN EASEMENT TO USE THE LAND AS NECESSARY DURING CONSTRUCTION OF THE PROJECT. THE EASEMENT IS REQUIRED ONLY UNTIL THE CONSTRUCTION OR WORK INDICATED BY THE PEAR IS PRINCED FIRE PROPERTY SANGE RELINGUISHED IN WRITING BY THE COUNTY.

REQUIRED RIGHT-OF-WAY FOR COMAL ROADS OR STREETS IS ACQUIRED FOR THE BENEFIT OF THE APPLICABLE MUNICIPALITY NOTHE SAME ESTATE CHO. TRANSPORTATION SAME FOR REQUIRED RIGHT-OF-WAY FOR COLDSTY, HIGHWAY PURPOSES, ALONG WITH A FEME PRARY CONSTRUCTION EASEMENT FOR THE BENEFIT AND USE OF THE COUNTY. THEY SHALL VESSION THE APPLICABLE LOCAL MUNICIPALITY UPON ACQUISITION AND MAINTENANCE RESPONSIBILITY SHALL TRANSFER UPON THE COMPLETION OF CONSTRUCTION.

HORIZONTAL CONTROL IS BASED/ ON THE PENNSYLVANIA STATE PLANE COORDINATE SYSTEM SOUTH ZONE - NAD83 AVERAGE COMBINED FACTOR = 0.99992939.

VERTICAL CONTROL IS BASED ON NORTH AMERICAN VERTICAL DATUM (NAVD 1988) WITH BENCHMARKS AS FOLLOWS:

BM "2 ELEV. 765.84 ON PARAPET AT STA. 29+47.92, 14.19' RT EAST PENNVEW STREET BM #3 ELEV. 761.76 ON PARAPET AT STA. 29+57.55, I4.II'LY EAST PENNVIEW STREET

THE FOLLOWING SYMBOLS ARE USED TO DEPICT SLOPE LIMITS:

CUT | FILL

ALLEGHENY COUNTY SURVEY BOOK NO. 238

CONSTRUCT PROJECT IN ACCORDANCE WITH PENNDOT SPECIFICATIONS 2007, PUBLICATION 408,

DRAINAGE ADJUSTMENTS, CLEANING AND MAINTENANCE WORK MAY BE DONE OUTSIDE OF THE LEGAL RIGHT-OF-WAY IN ACCORDANCE WITH ACT 314 OF THE HIGHWAY ACT OF 1945, P.L. 142,

PINE CREEK IS NOT A NAVIGABLE WATERWAY.

REVISIONS

County of Allegheny Billsburgh, Bennsylvania Department of Public Works

RIGHT-OF-WAY PLAN


GENERAL NOTES

PINE CREEK BRIDGE NO. II

PI11-0211


NLK DRW. JRA. CHK. PJN 26048 DATE 12/09 SCALE NTS SHEET 2 OF 8





TYPICAL SECTION-EAST PENNVIEW STREET

(TANGENT)
STA. 28+38.00 TO STA. 28+90.00 (CROSS SLOPE #0.0327 %, **0.0173 %) STA. 29+75.00 TO STA. 30+54.00 (CROSS SLOPE AS SHOWN)



TYPICAL SECTION-EAST PENNYIEW STREET
(SUPERELEVATION) STA. 28+90.00 TO STA. 29+75.00

CERTIFIED CORRECT PLANS

Engineer
Approved by Bureau of Transportation & Safety PENNA. PUBLIC UTILITY COMMISSION

JUL 2 9 2010

County of Allegheny Pittsburgh, Bennaylvania

Department of Public Works

REVISIONS

RIGHT-OF-WAY PLAN

TYPICAL SECTIONS


PINE CREEK BRIDGE NO. II PI11-0211


26048

NLK DRW. JRA CHK. PJN DATE 12/09 SCALE NTS SHEET 3 OF 8









PROFILE EAST PENNVIEW STREET



County of Allegheny

Department of Public Works

REVISIONS

RIGHT-OF-WAY PLAN

ROADWAY PROFILE.

PINE CREEK BRIDGE NO. II

PI11-0211

26048

DES. NLK DRW. RA CHK. PJN

DATE 12/09 SCALE AS SHEET 5 OF 8





