

Phone:

(215) 569-5725

Fax:

(215) 832-5725


Email:

ftamulonis@BlankRome.com

July 13, 2017



Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
Commonwealth Keystone Building
400 North Street – Filing Room
2nd Floor North
Harrisburg, PA 17105



JUL 1 3 2017

PA PUBLIC UTILITY COMMISSION SECRETARY'S BUREAU

Re:

West Goshen Township, et al. v. Sunoco Pipeline L.P.

Docket No. C-2017-2589346

Dear Secretary Chiavetta:

Pursuant to 52 Pa. Code § 1.36 (c), enclosed please find the original copy of the Affidavit of Matthew Gordon, a scanned copy of which was attached as Exhibit A to Sunoco Pipeline L.P.'s Letter in Opposition of West Goshen Township's request for an *Ex Parte* Order which was electronically filed on July 10, 2017. A corrected version was filed on July 11, 2017, and is enclosed herein.

If you have any questions on this matter, please call me at 215-569-5725.

Sincerely,

FRANK I. TAMULONIS

Enclosures

cc: Christopher A. Lewis, Esq. (via email) (w/out encl.)

BLANK ROME LLP

Christopher A. Lewis (I.D. No. 29375) Frank L. Tamulonis (I.D. No. 208001) Michael Montalbano (I.D. No 320943) One Logan Square 130 N. 18th Street

Philadelphia, PA 19103 Phone: (215) 569-5500 Facsimile: (215) 832-5793

Email: Lewis@BlankRome.com FTamulonis@BlankRome.com MMontalbano@BlankRome.com

WEST GOSHEN TOWNSHIP AND

CONCERNED CITIZENS OF WEST GOSHEN TOWNSHIP


Complainant,

V. ·

SUNOCO PIPELINE L.P.,

Respondent.

Attorneys for Defendant Sunoco Pipeline L.P.



JUL 1 3 2017

PA PUBLIC UTILITY COMMISSION SECRETARY'S BUREAU

Docket NO. C-2017-2589346

AFFIDAVIT OF MATTHEW GORDON

| COMMONWE | LTH OF | ' PENNS' | YLVA | ANIA |
|----------|--------|----------|------|------|
|----------|--------|----------|------|------|

SS.

COUNTY OF BERKS

I, Matthew Gordon, being duly sworn according to law, do hereby depose and state the following to be true and correct to the best of my knowledge and/or based upon my information and belief:

- 1. I am employed by Sunoco Pipeline L.P. ("SPLP") as the Project Director for the Mariner East 2 pipeline project. I am authorized to make this Affidavit on behalf of SPLP.
- 2. SPLP's project team and engineering group has determined that siting Valve 344 on the SPLP Use Area is not prudent or feasible due to numerous engineering constraints. The

engineering constraints include, among other things: insufficient room to site the equipment needed to install the valve given the demands of the horizontal directional drilling; the need to open-cut Boot Road, which would severely disrupt traffic in West Goshen Township and create noise and inconvenience; and the creation of possible adverse impacts to Route 202 which would be avoided by siting the valve elsewhere.

- 3. In 2017 SPLP purchased the property that is referred to as the "Janiec 2 Tract" in the Petition of West Goshen Township For An Ex Parte Emergency Order And An Interim Emergency Order. This property is situated at Boot Road and Route 202, on the east side of the highway, across from the property that was the subject of the Settlement Agreement.
- 4. The Janiec 2 Tract is the site for the pullback area for the horizontal directional drilling ("HDD") that will be used to install the pipe through West Goshen Township. Regardless of where the valve station is located, SPLP will need to engage in the work on the Janiec 2 Tract in order to install the Mariner East 2 pipeline.
- 5. The Commonwealth Department of Environmental Protection ("DEP") has issued a Chapter 102, Erosion and Sediment Control Permit for the work that will be performed on the Janiec 2 Tract.
- 6. West Goshen Township issued Earth Disturbance Permit 2017-202-1 for the work that will be performed on the Janiec 2 Tract.
- 7. SPLP has notified West Goshen Township on several occasions that it needs to site Valve 344 on the Janiec 2 Tract.
- 8. Work on Valve 344 will not commence until after the HDD is completed; accordingly, the installation of the valve will not occur before July 18, 2017.
- 9. An order from the Pennsylvania Public Utility Commission directing SPLP to cease work at the Janiec 2 Tract would substantially disrupt and delay the completion of the Mariner East 2 pipeline, causing consequent harm to producers, shippers, and consumers.

MATTHEW GORDON

Sworn to and Subscribed

Before me this // day of July, 2017

Notary Public

COMMUNIWEALTH OF PERSISYLMANA
MOTARIAL SEAL
CONNIE & CHARMICK
Motory Public
SPRING TWN JERIES COURTY
My Commission Explore Dec 16, 2016

SHIP DATE: 13JUL17 ACTWGT: 0.50 LB CAD: 103873866/WSX12750

BILL SENDER

ROSEMARY CHIAVETTA PENNSYLVANIA PUBLIC UTILITY COMM **COMMONWEALTH KEYSTONE BUILDING** HARRISBURG PA 17105
(717) 512-0125
NV:
PO: 400 NORTH STREET, 2ND FLOOR

546J1/00C253C1

FRI - 14 JUL 10:30A

PRIORITY OVERNIGHT

7871 8268 5775

17105 MDT



FOLD on this line and place in shipping pouch with bar code and delivery address visible

- Fold the first printed page in half and use as the shipping label.

 Place the label in a waybill pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

← ~i

Keep the second page as a receipt for your records. The receipt contains the terms and conditions of shipping and information useful for tracking your package.

Legal Terms and Conditions

Tendering packages by using this system constitutes your agreement to the service conditions for the transportation of your Tendering packages by using this system constitutes your agreement to the service conditions for the transportation of your school in the applicable FedEx Service Guide, available upon request. FedEx will not be responsible for any claim in excess of the applicable declared value, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual toss and file a timely claim. Limitations found in the applicable FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of 100 USD or the authorized declared value. Recovery cannot incidental, consequential to or special is limited to the greater of 100 USD or the authorized declared value. Recovery cannot instruments and other items listed in our Service Guide. Whitten claims must be filed within strict time limits, see applicable fedEx Service Guide. FedEx Service Guide for complete terms and experience of the package. See the applicable FedEx Service Guide for complete terms and expected and applicable fedEx Service Guide for complete terms and expected and applicable fedEx Service Guide for complete terms and expected and applicable fedEx Service Guide for complete terms and expected and applicable fedEx Service Guide for complete fedEx Service Guide for com conditions. To obtain information regarding how to file a claim or to obtain a Service Guide, please call 1-800-GO-FEDEX (9) 1-800-463-3339 ([©]) 7/13/2017