

CAROLYN T. COMMITTA, MEMBER

25-A EAST WING
P.O. BOX 202156
HARRISBURG, PENNSYLVANIA 17120-2156
PHONE: (717) 705-2075
FAX: (717) 780-4751

21 W. WASHINGTON STREET, SUITE A
WEST CHESTER, PENNSYLVANIA 19380
PHONE: (610) 696-4990
FAX: (610) 738-2163

WWW.PAHOUSE.COM/COMITTA



House of Representatives
COMMONWEALTH OF PENNSYLVANIA
HARRISBURG

COMMITTEES

- AGING & OLDER ADULT SERVICES
- ENVIRONMENTAL RESOURCES & ENERGY
- LOCAL GOVERNMENT
- SUBCOMMITTEE ON BOROUGHES
- PROFESSIONAL LICENSURE
- URBAN AFFAIRS
- THE JOINT LEGISLATIVE CONSERVATION COMMITTEE

CAUCUSES

- CLIMATE CAUCUS
- GIRL SCOUT CAUCUS

January 7, 2019

Ms. Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
Commonwealth Keystone Building
400 North Street, Second Room
Harrisburg, PA 17120

RE: Meghan Flynn, et al. v. Sunoco Pipeline L.P.
FLYNN FORMAL COMPLAINT AND PETITION
Complaint No. C-2018-3006116
Docket No. P-2018-3006117

Dear Secretary Chiavetta:

As State House Representative of the 156th Legislative District in Pennsylvania, I write to you today in support of the above referenced complaint, whereby the petitioners request the PUC to conduct a review of Sunoco's public awareness program, and in the event the PUC determines that Sunoco is unable to comply with applicable law, a final Order directing Sunoco to cease operations of the ME1 and workaround pipeline as defined in the Complaint.

The workaround pipeline would increase the volume of hazardous, highly volatile liquids being transported through densely populated parts of Chester and Delaware Counties, including East Goshen Township, West Goshen Township, and Westtown Township in my district. Combined with already repurposed ME1, the risk of injury, death, and property damage is significantly greater for the impacted geographic area. I support the requirement that the Commission perform a thorough review of Sunoco's public awareness program, including public outreach and education process, and emergency procedures sufficient to ensure the safety of the public in the event of a leak or rupture of a pipeline.

So far, Sunoco has failed to provide to the public any legally adequate guidance, such as an emergency notification system or emergency management plan, practices and procedures and training protocols that address the conditions, adequacy, efficiency, safety

RECEIVED
2019 JAN 10 AM 11:17
PA PUC
SECRETARY'S BUREAU

Secretary Rosemary Chiavetta


January 7, 2019

Page 2

and reasonableness of ME1 and the workaround pipeline, ME2, and ME2X including but not limited to the integrity of the ME1 pipe and its welds, pipe materials, wall thicknesses, depths of cover over ME1, and distances of said lines from residences, schools and hospitals. Based on Sunoco L.P.'s safety history referenced in the Complaint, we suggest that this be a standard requirement in every affected municipality in Chester County, and that operations on Mariner pipelines be halted until such time that the safety of our communities and environment are assured to the maximum extent possible.

Thank you very much for your attention to this matter.

Sincerely yours,

A handwritten signature in black ink that reads "Carolyn T. Comitta". The signature is written in a cursive style with a large, prominent 'C' at the beginning.

Representative Carolyn T. Comitta
156th Legislative District

CTC/jml



House of Representatives
COMMONWEALTH OF PENNSYLVANIA
HARRISBURG

CAROLYN T. COMITTA, MEMBER
21 WEST WASHINGTON STREET, SUITE A
WEST CHESTER, PENNSYLVANIA 19380

WELMINGTON DE 197

08 JAN 2019 PM 3 T



Ms. Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
Commonwealth Keystone Building
400 North Street, Second Room
Harrisburg, PA 17120

1712030079

