

RECEIVED

2019 AUG 30 AM 10:50

To the PUC regarding docket number L-2019-3010267:

PA PUC
SECRETARY'S BUREAU

I am a homeowner living in Meadowbrook Manor, Exton, PA 19341. I am deeply concerned that explosive HVL's are and will be increasingly running through my development and near the aquafor that supplies our public water. I believe that the underground clearances for this pipeline are inadequate (Ideal spacing stated by Sunoco experts is 10 feet). They are allowing only 2 inches between pipes placed in one larger pipe. Also I believe it is unsafe that the 87 year old pipeline has been repurposed to carry these HVL's, and is doing so even now. We are a densely populated area and these repurposed lines do NOT currently meet federal standards put in place to protect the public.

Our neighbors have experienced coercion by Sunoco land agents, Late night visits, calls and threats, "sign this or we'll take your land anyway," at 10 pm at night. Such bullying must be stopped! And easements given for one product must not apply to a totally new (and, in our case, more dangerous) product. Cases should be decided individually by a PUC judge, at no cost to the homeowner. I believe this pipeline is an abuse of the eminent domain procedure...which needs to be completely overhauled. Each company should apply for public utility status on a project-by- project basis ONLY.

Especially in high consequence areas, NGL pipelines MUST be equipped with state-of-the-art warning systems at the operator's expense. Our lives are in danger from a colorless, odorless, highly explosive gas so we need the best leak detection systems possible. Having attended meetings with first responders in our area, I do NOT feel our protection is adequate!

These standards must be applied retroactively. Our 87 year old pipeline is inadequate to carry NGL's. All projects should be brought up to the current highest standards. That includes pipeline depth of cover, steel type and thickness, corrosion protection and all other safety standards. Sunoco has the worst safety record in the industry and they are anything BUT transparent with either neighbors or township officials. We need a watchdog on the side of citizens, not overwhelmingly slanted toward the pipeline industry. Our safety depends on that! Nearly all of Sunoco's violations, inadvertent returns, sinkholes, well-fouling, have been reported FIRST by homeowners. Certainly we have borne the brunt of the costs of Sunoco's carelessness! Just ask the neighbors on Lisa Drive!


Regulation of construction techniques must be severely regulated. HDD should only be used when absolutely necessary and AFTER proper geologic studies have been done by outside (NOT Sunoco) experts. And operators must be held to Municipal ordinances against noise, vibration, and work hours. We need the PUC to enforce regulations already on its books. You are responsible for our safety. We are counting on you to put our lives ahead of Sunoco's profits.

Sincerely, *Marcia L. Gentry*
Marcia L. Gentry
211 Locust Lane, Exton, PA 19341

Marcia Gentry
211 Locust Ln
Exton, PA 19341

WILMINGTON DE 197

POSTAL SERVICE



Pennsylvania Public Utility Commission
Commonwealth Keystone Building
2nd Floor, Room - N201
Harrisburg, PA 1712

17120X0079

