

## CITIZENS' ELECTRIC COMPANY

1775 INDUSTRIAL BLVD • P.O. BOX 551 • LEWISBURG, PA 17837-0551 • (570) 524-2231 • FAX: (570) 524-5887

January 21, 2014

Ms. Rosemary Chiavetta Pennsylvania Public Utility Commission PO Box 3265 Harrisburg, PA 17105-3265

Dear Ms. Chiavetta,

Enclosed please find the Fourth Quarter 2013 Reliability Report for Citizens' Electric Company.

Please contact me at 570-522-6143 or <u>kelchnerj@citizenselectric.com</u> if I can answer any questions.

Sincerely,

Joh A Kell

John A. Kelchner, PE Vice President, Engineering & Operations

cc: Pennsylvania Office of Consumer Advocate Pennsylvania Office of Small Business Advocate Darren Gill (via email) Dan Searfoorce (via email) David Washko (via email) Citizens' Electric Company Quarterly Service Reliability Report Fourth Quarter, 2013 Prepared by John A. Kelchner, PE Vice President of Engineering & Operations 570-522-6143 <u>kelchnerj@citizenselectric.com</u> January 21, 2014

§ 57.195(e)(1) - A description of each major event that occurred during the preceding quarter, including the time and duration of the event, the number of customers affected, the cause of the event and any modified procedures adopted in order to avoid or minimize the impact of similar events in the future.

No Major Events occurred during the period.

§ 57.195(e)(2) - Rolling 12-month reliability index values (SAIFI, CAIDI, SAIDI, and if available, MAIFI) for the EDC's service territory for the preceding quarter. The report shall include the data used in calculating the indices, namely the average number of customers served, the number of sustained customer interruptions, the number of customers affected, and the customer minutes of interruption. If MAIFI values are provided, the report shall also include the number of customer momentary interruptions.

| Index | Rolling 12-Month Value for Quarter |
|-------|------------------------------------|
| SAIFI | 0.46                               |
| SAIDI | 37                                 |
| CAIDI | 81                                 |

| Total # of<br>Customers Served | # of Interruptions | # of Customers<br>Affected | Customer Minutes |
|--------------------------------|--------------------|----------------------------|------------------|
| 6,883                          | 45                 | 3,153                      | 256,087          |

The following outages were approved for exclusion as Major Events during the preceding 12-month period and are not included in the above calculations:

| Date       | # of Customers<br>Affected | Customer Minutes |
|------------|----------------------------|------------------|
| 5/19/2013  | 1,304                      | 149,516          |
| 6/18/2013* | 1,222                      | 64,766           |
| 7/7/2013   | 793                        | 99,190           |

\* As of this date, the Company has not yet received approval for exclusion of the June 18, 2013 event. A corrected report will be submitted in the event of denial of exclusion for this outage.

§ 57.195(e)(5) - A rolling 12-month breakdown and analysis of outage causes during the preceding quarter, including the number and percentage of service outages, the number of customers interrupted, and customer interruption minutes categorized by outage cause such as equipment failure, animal contact, tree related, and so forth. Proposed solutions to identified service problems shall be reported.

| Outage Cause  | Number of     | % of          | Number of | Customer     |
|---------------|---------------|---------------|-----------|--------------|
|               | Interruptions | Interruptions | Customers | Interruption |
|               |               |               | Affected  | Minutes      |
| On R/W Trees  | 1             | 2             | 485       | 43,165       |
| Animals       | 9             | 20            | 126       | 6,214        |
| Equipment     | 12            | 27            | 372       | 39,196       |
| Off R/W Trees | 6             | 13            | 761       | 59,653       |
| Weather       | 9             | 20            | 152       | 51,612       |
| Vehicle       | 4             | 9             | 323       | 47,465       |
| Other         | 4             | 9             | 934       | 8,782        |
| Total         | 45            |               | 3,153     | 256,087      |

## Discussion

The fourth quarter was significantly less active than the preceding quarter. The Company experienced just seven outages, compared to 19 in the third quarter. The largest outage occurred on November 24<sup>th</sup>, when a large off right-of-way tree, weakened by a prolonged period of precipitation, fell across a three-phase line. Repairs were completed in 93 minutes. All other outages during the period affected small numbers of customers for short durations.